

POS USER MANUAL





VERIFONE VX 675 Terminal User Manual

Interface



Ensure the VX675 is fully charged


To fully charge the Terminal, leave plugged into the powered USB cable until the LED indicator remains lit.

Replace paper rolls -VX675

✓ Gently pull the latch located on the top of the terminal to unlock the paper roll cover.



- ✓ Remove any partial roll of paper in the printer tray
- ✓ Loosen the glued leading edge of the new paper roll and unwind it past any glue residue
- ✓ Drop the paper roll into the tray, ensuring the paper feeds from the bottom of the roll



- ✓ Pull paper up past the glue residue
- ✓ Close the paper rollover gently, allowing a small amount of paper to extend outside the printer door
- ✓ Tear the paper off against the serrated plastic strip in the printer



EMV (Chip) Transaction

- ✓ Hold "Enter" until the terminal displays the start-up screen
- ✓ Insert the chip card (front side POS terminal) into the terminal and allow it to read the card
- ✓ Enter the amount and press "Enter" button
- ✓ Client enters the PIN code of the Card and presses "Enter" button






- ✓ After the authorization is approved, the terminal displays Approved and the card may be removed
- ✓ After each transaction, at least 2 receipts are printed:
 - > A merchant receipt
 - > A Cardholder receipt
- ⚠ In case of card payment through Chip field and without PIN code Client's signature on the payment receipt is required

Magnetic Stripe Transaction

- ✓ Hold "Enter" until the terminal displays the start-up screen
- Swipe the magnetic stripe card through the reader on the right side of the terminal
- ✓ Enter the amount and press "Enter" button




- ✓ After Client enters the PIN code of the Card and presses "Enter" button
- ✓ After authorization approval, Approved message appears on the terminal signifying. that the transaction is complete.
- ✓ After each transaction, at least 2 receipts are printed:
 - > A merchant receipt
 - > A Cardholder receipt



⚠ In case of card payment through Magnetic field and without PIN code -Client's signature on the payment receipt is required.

Contactless card transaction

- ✓ Hold "Enter" until the terminal displays the start-up screen
- ✓ Enter the amount and press "Enter" button
- ✓ Read contactless card, by attaching the card to the terminal screen



- > If the amount is less than 40 GEL transaction will be executed without entering the PIN code
- > If the amount is more than 40 GEL Client Enters the PIN code of the Card and presses the "Enter" button
- **✓** After each transaction, at least 2 receipts are printed:
 - > A merchant receipt
 - > A Cardholder receipt

Make a VOID (return) – This transaction can be made only on the same day and only with the Customer's card

- ✓ Press the RED "Cancel" button or right button of the joystick
- ✓ Enter admin PIN password 1234 and press the "Enter" button
- ✓ Select sequence NO and press "Enter" button
- ✓ «VOID USING MAGNETIC STRIP» or «Present Card» screens will appear.
- ✓ Read magnetic strip (right side POS terminal) or chip (front side POS terminal) or read contactless card, by attaching the card to the terminal screen
- ✓ The Client should Enter the PIN code of the Card and press the "Enter" button
- ✓ Check the amount and press the "Enter" button
- ✓ The first receipt of the merchant. The second receipt of the Cardholder

In case of card payment through Magnetic field and without PIN code - Client's signature on the payment receipt is required.

Activated contactless settings setup (It is necessary to do every time after changing the language POS)

- ✓ Press "Cancel" button + 9 (at the same time)
- ✓ Select 4 –SERVICE MENU and press "Enter" button
- ✓ Enter admin PIN password 23646 and press "Enter" button
- ✓ Select 7 Contactless setting and press "Enter" button
- ✓ Select 1 Setup and press "Enter" button
- ✓ Select 1 Active and press "Enter" button
- ✓ 'PP1000SE' screen will appear and start loading the parameters.

Make End of the Day Report (this report is done at the end of the day)

- ✓ Press the down button of the joystick
- ✓ Enter admin PIN password 1234 and press "Enter" button

Make Brief or Detailed transaction reports

- ✓ Press the up button of the joystick
- ✓ Select 2 EOD Menu and press "Enter" button
- ✓ Select 2 (Group balancing) , 3 (Brief report) or 4 (Detailed report) and press "Enter" button
- ✓ Enter admin PIN password 1234 and press "Enter" button



POS language change

- ✓ Press the up button of the joystick
- ✓ Select 5 System menu and press the "Enter" button
- ✓ Enter admin PIN password and press the "Enter" button (password contains 3 digits which is the day number of how many days passed from the beginning of the year) for example today 30.03.2018 − password 089
- ✓ Select 18 LANGUAGE and press the "Enter" button
- ✓ Select the desired language and press the "Enter" button

Restart POS terminal

- ✓ Press "Enter" button + 7 (at the same time)
- ✓ Enter admin PIN password 12345
- ✓ Select 1 Restart and press "Enter" button

or:

- ✓ Press "Quick Info" button
- ✓ Enter admin PIN password and press "Enter" button (password contains 6 digits, year/month/day) for example today 30.03.2018 − password 180330

Parameter Update

- ✓ Press the up button of the joystick
- ✓ Select 3 Other and press "Enter" button
- ✓ Select 3 Parameter update and press "Enter" button
- ✓ POS parameters has been updated

APN error (sim-card error) 1005 error

- ✓ Press "Cancel" button + 9 (at the same time)
- ✓ Select 4 –SERVICE MENU and press "Enter" button
- ✓ Enter admin PIN password 23646 and press "Enter" button
- ✓ Select 1 General Settings and press "Enter" button
- ✓ Select 1 GPRS and press "Enter" button
- ✓ Select 1 APN and press "Enter" button
- ✓ «ENTER APN» screen will appear. «isbank» should be entered.
- ✓ «ENTER USER NAME» screen will appear. «isbankgprs» should be entered.
- ✓ In «ENTER USER PASSWORD» screen is19240826bank should be entered
- ✓ Then the POS terminal will restart.

SUPPORT

e-mail: isge.pos.support@isbank.ge (24/7)

Ali 593 000 975 (Tbilisi)

Khvicha 577 009 319 (Tbilisi)

Davit 577 009 314 (Batumi)

Safir Support +90850 724 77 67 (24/7) only Turkish

